

Maximum Performance (MaP) of WaterSense High-Efficiency Toilet Fixtures

Sorted by Manufacturer

September 2008 listing






Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency and the California Urban Water Conservation Council. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. NOTE: This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	2	3	E						HET		F
American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3	E	*					HET		F
American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	2	3	R						HET		F
American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	1	3	E	*					HET		F
American Standard	FloWise Dual Flush EL	2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank	900	2	2	E		*				HET		F
American Standard	FloWise Dual Flush EL (insulated tank)	SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)	800	2	2	E		*				HET		F
American Standard	FloWise Dual Flush EL ADA	SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516: each combination with 3073 bowl, 4035 tank.	600	2		E	*	*				HET		F
American Standard	FloWise Dual Flush EL ADA (insulated tank)	SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516: each combination with 3073 bowl, 4035.516 tank (lined)	500	2	2	E	*	*				HET		F
American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	2	3	E						HET		F
Axent-Regatta Water Co.	None EL ADA	AT1203-xx	350	2		E	*					HET		F
Ayers Bath (Tangshan)	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	2	3	E	*					HET		F
Briggs	None EL	4208: 4375 bowl, 4484 tank	350	2		E		*				HET		F
Briggs	None RF	4207: 4370 bowl, 4484 tank	350	2		R		*				HET		F
Caroma	Adelaide 270 Cube EL	834000 bowl, 814790 tank	700	2	-	E		*				HET		F
Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	2	-	R	*	*				HET		F
Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	2	-	R	*	*				HET		F
Caroma	Adelaide 270 Standard EL	834000 bowl, 814328 tank	700	2	-	E		*				HET		F
Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	2	-	R		*				HET		F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY:													
	Flush performance (MaP score)													
			350 grams to 475 grams											
			500 grams and more											
	Type of toilet fixture													
			6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)											
			4-L (1.1-gal) Pressure-assist											
			Gravity-fed											
Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	2	-	E		*			HET			F
Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	2	-	E	*	*			HET			F
Caroma	Bondi 270 RF ADA	607177 bowl, 726350 tank	550	2	-	E	*	*			HET			F
Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	2	-	R		*			HET			F
Caroma	Bondi 305 EL	609130 bowl, 726350 tank	350	2	-	E		*			HET			F
Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	2	-	R		*			HET			F
Caroma	Caravelle 1-Piece EL ADA	989668	800	1	-	E	*	*			HET			F
Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	2	-	E		*			HET			F
Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	2	-	E	*	*			HET			F
Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	2	-	R		*			HET			F
Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	2	-	R	*	*			HET			F
Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	2	-	E		*			HET			F
Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	2	-	R		*			HET			F
Caroma	Caravelle One-Piece RF	989646	500	1	-	R		*			HET			F
Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	2	-	R		*			HET			F
Caroma	Colonial 270 RF	605320 bowl, 625070 tank	700	2	-	R		*			HET			F
Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	2	-	E		*			HET			F
Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	2	-	E	*	*			HET			F
Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	2	-	R		*			HET			F
Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	2	-	E	*	*			HET			F
Caroma	Royale 305 EL	609130 bowl, 629530 tank	850	2	-	E		*			HET			F
Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	2	-	R		*			HET			F
Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	2	-	E		*			HET			F
Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	2	-	E	*	*			HET			F
Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	2	-	E		*			HET			F
Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	2	-	E	*	*			HET			F
Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	2	-	E		*			HET			F
Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	2	-	R		*			HET			F
Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	2	-	E	*	*			HET			F
Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	2	-	E		*			HET			F
Caroma	Sydney Low Profile 270 EL ADA	609177 bowl, 622330 tank	650	2	-	E	*	*			HET			F
Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	2	-	R		*			HET			F
Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	2	-	E		*			HET			F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
KEY: Flush performance (MaP score) <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 100px; height: 15px; background-color: yellow; border: 1px solid black;"></div> 350 grams to 475 grams </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: orange; border: 1px solid black;"></div> 500 grams and more </div> Type of toilet fixture <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: pink; border: 1px solid black;"></div> 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: lightgreen; border: 1px solid black;"></div> 4-L (1.1-gal) Pressure-assist </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: white; border: 1px solid black;"></div> Gravity-fed </div>														
Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	2	-	R		*		HET				F
Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	850	2	-	E	*	1.3		HET				F
Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	2	-	R		1.3		HET				F
Cascadian	Toscana EL ADA	C930 bowl, T901 tank	1,000	2	3	E	*					HET		F
Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	350	2		E						HET		F
Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	350	2		R						HET		F
Cerapure Industries	None EL ADA (one-piece)	C-3432D	350	1		E	*	*		HET				F
Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	2	-	E		*		HET				F
Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	2	-	R		*		HET				F
Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	2	-	R		*		HET				F
Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	2	3	R						HET		F
Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	350	2	3	R						HET		F
Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	350	2		R				HET				F
Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	2		E		*		HET				F
Crane	Eco Saratoga EL	31980: 3372 bowl, 31960 tank	350	2		E				HET				F
Crane	Eco Saratoga EL	31986: 3372 bowl, 31966 tank (insulated)	350	2		E				HET				F
Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	2		R		*		HET				F
Crane	Eco Saratoga RF	31976: 3352 bowl, 31966 tank (insulated)	350	2		R				HET				F
Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	2	-	E			*	HET				F
Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	2	-	E	*	*		HET				F
Crane	Ecomiser Dual EL	38370: 3827 bowl, 31500 tank	350	2	-	E			*	HET			R	F
Crane	Ecomiser Dual EL ADA	38400: 3830 bowl, 31500 tank	350	2	-	E	*	*		HET			R	F
Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	2		R			*	HET				F
Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	2	-	E					HET			F
Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	2	-	E	*				HET			F
Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	2	-	R					HET			F
Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	2	2	S	*	*		HET			R	W
Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	2	2	S	*	*		HET			R	W
Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	2	2	S	*	*		HET			R	W
Duravit	Phillipe Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	350	2	2	S	*	*		HET			R	W
Duravit	Vero (ADA optional)	211709 bowl, 111.335 in-wall tank (Geberit)	350	2	2	S	*			HET			R	W
Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	2	2	S	*	*		HET			R	W

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)					
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity							
<p>KEY:</p> <p>Flush performance (MaP score)</p> <table border="1"> <tr><td style="background-color: #ffffcc;">350 grams to 475 grams</td></tr> <tr><td style="background-color: #ffcc99;">500 grams and more</td></tr> </table> <p>Type of toilet fixture</p> <table border="1"> <tr><td style="background-color: #ffccff;">6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)</td></tr> <tr><td style="background-color: #ccffcc;">4-L (1.1-gal) Pressure-assist</td></tr> <tr><td style="background-color: #cccccc;">Gravity-fed</td></tr> </table>															350 grams to 475 grams	500 grams and more	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)	4-L (1.1-gal) Pressure-assist	Gravity-fed
350 grams to 475 grams																			
500 grams and more																			
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)																			
4-L (1.1-gal) Pressure-assist																			
Gravity-fed																			
Foremost	AIO RF ADA	AIO1000-R: AIOB1000-R bowl, AIOT1000 tank	1,000	2	-	R	*		*	HET				F					
Foremost	AIO EL ADA	AIO1000-E: AIOB1000-E bowl, AIOT1000 tank	1,000	2	-	E	*		*	HET				F					
Foremost	None EL	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank	350	2		E						HET		F					
Foremost	None EL (one-piece)	TL-6100-EYN	350	1		E						HET		F					
Foremost	None EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank (ALSO SOLD BY HOME DEPOT AS GLACIER BAY SKU 331-725; ALSO SOLD AT LOWE'S AS AQUASOURCE 005905)	400	2	3	E	*					HET		F					
Foremost	None EL ADA	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (insulated) (ALSO SOLD as TL-8295-WL)	350	2	3	E						HET		F					
Foremost	None RF	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (insulated tank)	350	2	3	R						HET		F					
Foremost	None RF	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET tank	350	2	3	R						HET		F					
Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	2	2.5	S		*		HET				F					
Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	2	2.5	R		*		HET				F					
Foremost	Total EL (one-piece)	TT-2000E-*L (one-piece; insulated tank)	350	1		E				HET				F					
Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	350	2	-	E			*	HET			R	F					
Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	2	-	E			*	HET				F					
Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	2	-	E			*	HET				F					
Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	2	-	E	*		*	HET				F					
Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	2	-	E	*		*	HET				F					
Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	2	-	E	*		*	HET			R	F					
Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	2		R			*	HET				F					
Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	2	-	R			*	HET				F					
Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	350	2		E					HET		R	F					
Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	2	-	E	*				HET			F					
Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	2	-	E	*				HET			F					
Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	2	-	E	*				HET			F					
Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	2	-	E	*				HET			F					
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	2	-	E	*				HET		R	F					
Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	2	-	R					HET			F					
Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	2	-	R					HET			F					
Globe Union	WaterRidge Grace EL	C22055C (one-piece)	500	1	2	E		*		HET				F					
Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank - Home Depot SKU 331-725 (Foremost Model BT6001)	400	2		E	*	*				HET		F					

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
KEY: Flush performance (MaP score)  350 grams to 475 grams  500 grams and more Type of toilet fixture  6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)  4-L (1.1-gal) Pressure-assist  Gravity-fed														
Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA	331-725 bowl, 331-725 tank (Home Depot SKUs)	600	2	3	E	*					HET		F
Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless)	N2228: N2228B bowl, N2228T tank. Sold combined as Home Depot SKU 840-565	500	2	-	E	*					HET		F
Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Sold combined as Home Depot SKU 331-725	800	2	-	E	*					HET		F
Jacuzzi	Espree (one-piece)	EZ36959 (one-piece)	800	1	3	E	*					HET		F
Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	2	-	E						HET	R	F
Kohler	Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	2	3	E	*					HET		F
Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451 when included as part of the "COMPLETE SOLUTION" package	1,000	2	3	E	*					HET		F
Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	2		E		*			HET			F
Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	350	1		E	*		*			HET		F
Kohler	Kelston EL ADA	K-11453: F4306 bowl, F4469 tank	1,000	2		E	*					HET		F
Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	350	2	-	E		*			HET			F
Kohler	Saile EL	K-3564 (one piece)	500	1		E		*			HET			F
Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	1	-	E	*		*-at 1.4-g		HET			F
Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	1	-	E	*				HET			F
Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	2	2	E		*			HET			F
Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	2	2	R		*			HET			F
Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	2	-	E		*			HET			F
Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	350	2	-	R		*			HET			F
Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	350	2	-	E		*			HET			F
Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	2	-	E					HET			F
Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	2	-	E	*				HET			F
Lowe's	AquaSource EL	005905: EQUIVALENT TO FOREMOST MODEL TL-7600HC-HET: LL-7600HC-HET bowl, T-7600-HET tank	350	2		E						HET		F
Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	2	-	E		*			HET			F
Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	2	-	E		*			HET		R	F
Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	2	-	E	*	*			HET			F
Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	2	-	R		*			HET			F
Mansfield	None - EL	144 bowl, 119 tank	1,000	2	-	E	*	*			HET		R	W
Mansfield	None - EL	144 bowl, 153 tank	900	2	-	E	*				HET		R	W
Mansfield	Prestigio 4 EL	704 (one-piece)	950	1	-	E					HET			F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
KEY: Flush performance (MaP score) <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 100px; height: 15px; background-color: #ffff00; border: 1px solid black;"></div> 350 grams to 475 grams </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: #ffcc99; border: 1px solid black;"></div> 500 grams and more </div> Type of toilet fixture <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: #ff99cc; border: 1px solid black;"></div> 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: #ccffcc; border: 1px solid black;"></div> 4-L (1.1-gal) Pressure-assist </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: #ffffff; border: 1px solid black;"></div> Gravity-fed </div>														
Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	2	-	E					HET			F
Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	2	-	E					HET		R	F
Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	2	-	E	*				HET			F
Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	2	-	R					HET			F
Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Also sold as Home Depot SKU 331-725	800	2	-	E	*					HET		F
Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (note that tank and bowl model nos. are identical to those of the older Flapperless RF HET)	500	2	-	R						HET		F
Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	400	2	-	E	*					HET		F
Niagara	Glacier Bay EL ADA	331-725N: 331-725 bowl, 331-725 tank	600	2	3	E	*					HET		F
Niagara	None EL	N2310: 2310B bowl, 2310T tank	1,000	2	-	E					HET			F
Original Pacific Supply	None EL	T/X-6688E: T-6688E bowl, X-6688 tank	350	2		E		*			HET			F
Original Pacific Supply	None EL ADA	T/X-6688H: T-6688H bowl, X-6688 tank	350	2		E	*	*			HET			F
Original Pacific Supply	None RF	T/X-6688: T-6688 bowl, X-6688 tank	350	2		R		*			HET			F
Orion	Green Sense EL	50320 bowl, 51299 tank	350	2		E						HET		F
Orion	Green Sense RF	50299 bowl, 51299 tank	350	2		R						HET		F
Pro-Flo (by Briggs for Ferguson)	None EL	PF9201 bowl; PF9212 tank	350	2		E		*			HET			F
Pro-Flo (by Briggs for Ferguson)	None RF	PF9200 bowl; PF9212 tank	350	2		R		*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	2	2	E		*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	2	2	E	*	*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	2	2	R		*			HET			F
Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	2	3	E						HET		F
Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	2	3	R						HET		F
Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	2	3	E	*	*			HET			F
Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	2	3	E	*					HET		F
Seasons (HD Supply)	None	SE10040 bowl, SE10039 tank	350	2								HET		F
Seasons (HD Supply)	None	SE10041 bowl, SE10039 tank	350	2								HET		F
Seasons (HD Supply)	None	SE10042	350	1								HET		F
Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	2	2	E		*			HET			F
Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	2	2.5	E					HET			F
Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	2	2.5	E					HET			F
Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	2	2.5	E	*				HET			F
Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	2	3	E	*					HET		F
Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	2	3	E	*					HET		F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
KEY: Flush performance (MaP score) <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 100px; height: 15px; background-color: #ffff00; border: 1px solid black;"></div> 350 grams to 475 grams </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> <div style="width: 100px; height: 15px; background-color: #ffcc99; border: 1px solid black;"></div> 500 grams and more </div> Type of toilet fixture <div style="display: flex; justify-content: space-between; align-items: center; margin-bottom: 5px;"> <div style="width: 100px; height: 15px; background-color: #ff99cc; border: 1px solid black;"></div> 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-bottom: 5px;"> <div style="width: 100px; height: 15px; background-color: #99ff99; border: 1px solid black;"></div> 4-L (1.1-gal) Pressure-assist </div> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 100px; height: 15px; background-color: #ffffff; border: 1px solid black;"></div> Gravity-fed </div>														
Toto	EcoDrake EL	CST744E: C744E bowl, ST743E tank	600	2	3	E						HET		F
Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	2	3	E	*					HET		F
Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	2	3	R						HET		F
Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	2	3	E	*					HET		F
Toto	EcoPromenade EL ADA	CST424EF: C424EF bowl, ST423E tank	400	2	3	E	*					HET		F
Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	1	3	E						HET		F
Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	350	1	3	E						HET		F
Toto	EcoUltramax EL	CST854E OR MS854114E OR MW854***E	500	1	3	E						HET		F
Toto	EcoUltramax EL ADA	CST854EL OR MS854114EL OR MW854***EL	500	1	3	E	*					HET		F
Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	1	3	R						HET		F
Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	2	3	E	*					HET		F
Toto	Gwyneth EL ADA	CST454CEF: C454CE bowl, ST454E tank	800	2	3	E	*					HET		F
Toto	Gwyneth EL ADA	CST604CEF OR MS604114CEF (one-piece) OR MW604***CEF	500	1	3	E	*					HET		F
Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	2	2	E		*			HET			F
Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	2	2	E	*	*			HET			F
Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	2	2	R		*			HET			F
Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	2	3	E						HET		F
Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	2	3	R						HET		F
Vitra	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	2	-	E	*					HET		F
Vitra	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	2	2	E	*	*			HET			F
Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	2	-	R		*			HET			F
Vitra	EverGreen EL ADA	5195 bowl, 5402 tank	600	2	2	E	*					HET		F
Vitra	EverGreen RF ADA	5196 bowl, 5402 tank	800	2	2	R	*					HET		F
Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	350	2		E		*			HET			F
Vortens-Lamosa	Delfos	3130	350	1				*			HET			F
Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	2	3	E						HET		F
Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	2	3	R						HET		F
Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	2	3	E	*					HET		F
Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	2	-	E	*	*			HET			F
Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	2	-	E						HET		F
Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	2	-	E	*					HET		F
Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	350	2		E						HET		F
Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	2	2	E		*				HET		F
Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	2	2	R		*				HET		F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
KEY: Flush performance (MaP score) <div style="display: flex; align-items: center;"> <div style="width: 100px; height: 15px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></div> 350 grams to 475 grams <div style="width: 100px; height: 15px; background-color: orange; border: 1px solid black; margin-right: 5px;"></div> 500 grams and more </div> Type of toilet fixture <div style="display: flex; align-items: center;"> <div style="width: 100px; height: 15px; background-color: pink; border: 1px solid black; margin-right: 5px;"></div> 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) <div style="width: 100px; height: 15px; background-color: lightgreen; border: 1px solid black; margin-right: 5px;"></div> 4-L (1.1-gal) Pressure-assist <div style="width: 100px; height: 15px; background-color: white; border: 1px solid black; margin-right: 5px;"></div> Gravity-fed </div>														
Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375	2		R		*		HET				F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3420 tank	350	2		R		*		HET				F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	2	2	R		*		HET				F
Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	2	-	E			*	HET				F
Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	2	-	E	*		*	HET				F
Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	2	-	E					HET			F
Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	2	-	E	*				HET			F
Zurn	EcoVantage Dual Flush RF	Z5577: Z5575 bowl, Z5562 tank	350	2		R				HET				F
Zurn	EcoVantage RF	Z5576: Z5575 bowl, Z5561 tank	350	2	-	R					HET			F
Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	2	3	E						HET		F
Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	2	3	E	*					HET		F
Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	2	3	R						HET		F

RF – Round-front toilet bowl
 EL – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

gpf - Gallons per Flush